



YaraLiva™

CALCINIT™
Greenhouse Grade



15.5-0-0
50 lbs./22.7 kg.

F1106

15.5-0-0
Greenhouse Grade



50 LBS. NET WT. (22.7 kg)



YaraLiva™
CALCINIT™ Greenhouse Grade
15.5-0-0

Guaranteed Analysis
Total Nitrogen (N).....15.5%
1.0% Ammoniacal Nitrogen
14.5% Nitrate Nitrogen
Calcium (Ca).....19.0%

**Derived from Ammonium Calcium
Nitrate Double Salt.**

Guaranteed by:
Yara North America, Inc.
100 North Tampa Street, Suite 3200
Tampa, FL 33602
For Yara International ASA, Norway

Use in accordance with recommendations of a qualified individual or institution such as, but not limited to, a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Not a DOT regulated product 49 CFR 172.102
Special provision 34 specifically removes the calcium nitrate double salt (calcium nitrate and ammonium nitrate) from the hazardous materials table 49 CFR 172.101.

"THERE ARE NO IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS WITH RESPECT TO THESE PRODUCTS, NOR ARE THERE ANY EXPRESSED WARRANTIES OTHER THAN AS MAY BE CONTAINED IN ANY GUARANTEED ANALYSIS THAT MAY ACCOMPANY THE PRODUCT. BUYER ASSUMES ALL RISK TO PERSON AND PROPERTY IN THE USE, HANDLING OR STORAGE OF THE PRODUCT. SELLER'S LIABILITY IS LIMITED TO THE FULL AMOUNT OF THE PURCHASE PRICE, WITH THE WAIVER OF ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES BEING AN EXPRESSED PROVISION OF THIS SALE."

FIRST AID

CAUTION: MINERAL FERTILIZERS ARE INORGANIC SALTS OR MIXTURES OF SALTS. BY THEIR NATURE, FERTILIZER SALTS MAY BE IRRITATING TO THE SKIN AND EYES. PRECAUTIONS SHOULD BE TAKEN TO PREVENT EYE CONTACT AND MINIMIZE SKIN CONTACT. FERTILIZER DUSTS ARE CONSIDERED NUISANCE-TYPE DUSTS. INHALATION OF NUISANCE DUSTS MAY INDUCE OR AGGRAVATE RESPIRATORY DISCOMFORT. APPROVED DUST RESPIRATORS SHOULD BE USED WHEN FERTILIZER DUST IS PRESENT. WHEN HANDLING FERTILIZERS IN ENCLOSED AREAS, ADEQUATE VENTILATION SHOULD BE EMPLOYED TO MOVE DUST. SKIN: FLUSH WITH WATER AND WASH THOROUGHLY WITH SOAP AND WATER, REPEAT AS NECESSARY. EYES: FLOOD WITH CLEAN WATER IMMEDIATELY FOR AT LEAST 15 MINUTES, REPEAT AS NECESSARY. INGESTION: GIVE WATER, MILK, OR ACTIVATED CHARCOAL TO DELAY ABSORPTION OF INGESTED NITRATE. REMOVE INGESTED FERTILIZER BY INDUCED VOMITING OR GASTRIC LAVAGE. IN ALL CASES OF DISCOMFORT DUE TO EXPOSURE, SEEK MEDICAL ATTENTION.

**HANDLE THIS PRODUCT PROPERLY.
TO ASSURE OPTIMUM QUALITY
AND PERFORMANCE:
USE CLEAN, DRY AND WELL
MAINTAINED EQUIPMENT.**



YaraLiva™
CALCINIT™ Greenhouse Grade
15.5-0-0



Questions/Information

Customer Service:
800-234-9376

Visit our website
www.yara.us



7 63630 02345 9